

असाधारण EXTRAORDINARY

भाग II--चण्ड 3--छप-चण्ड (i) PART II--Section 3--Sub-section (i)

प्राणिकार से प्रकाशित PUBLISHED BY AUTHORITY

₡, 72]

नई दिल्ली, शुक्रवार, फरवरी 22, 1991/फाल्गुन 3, 1912

No. 72]

NEW DELHI, FRIDAY, FEBRUARY 22, 1991/PHALGUNA 3, 1912

इस भाग में भिम्न पृष्ठ संस्था को जाती है जिससे फिस्सह मनग संकासन के रूप को रखा जा सके

Separate Paging is given to this Pret in order that it may be filed as a separate compilation

उद्योग मस्रालय (श्रौद्योगिक विकास विभाग) श्रद्यिसृचना

नई दिल्ली, 22फरवरी, 1991

सा.का.नि. 86(श्र):—िस्पर और गितणील दाब पाव (श्रज्वलित) नियम, 1981 (जिन्हें इसमें इस स्पावत उक्त नियम कहा गया है) का संगोधन करने के लिए कितप्य नियमों का निम्निलिखित प्रारूप, जिसे केन्द्रीय संस्थार हारा विस्फोटक श्रिधिनियम, 1884 (1884 का 4) की धारा 5 श्रौंण धारा 7 हारा प्रदत्त गितनयों का प्रयोग करते हुए, उक्त श्रिधिनियम की धारा 18 की उपधारा (1) की श्रपेक्षान्सार ऐसे सभी व्यक्तियों की जानकारी के लिए प्रकाणित किया जाता है, जिनके उससे प्रभावित होने की संभावना है श्रीर इसके द्वारा यह सूचना दी जाती है कि उवत प्रारूप पर उस तारीस से

45 दिन के पश्चात् विचार किया जाएगा जिस तारीख को उस राजपन्न की प्रतियां, जिसमें यह ग्रधिस्चना ग्रन्तिकट है, जनना को उपलब्ध करा दी जानी हैं।

. किन्हीं ऐसे ग्राक्षेपों या सुझावों पर, जो उपर्युक्त विनिर्विष्ट तारीख़ से पूर्व उक्त प्रारूप की बाबत किसी व्यक्ति से प्राप्त होंगे, केन्द्रीय, सरकार विचार करेगी।

- 1. इन नियमां का संक्षिप्त नाम स्थिर और गतिणील दाब पाझ (अज्वलित) संगोधन नियम, 1991 है।
 - 2. उक्त नियमों के नियम 2 में,--
 - (i) खंड (घ) के स्थान पर निम्नलिखित खंड रखा जाएगा, ग्रर्थात -∹---
 - "(घ)"सक्षम व्यक्ति" से ऐसी गैसों और ऐसी धवधि के लिए उन नियमों में अनुबद्ध प्रतिष्ठानों श्रीर परिवहन यानों का परीक्षण, परीक्षा,

विरीजग और प्रमामन भरते के लिए मुख नियंत्रक द्वारा मान्यताप्राप्त गक्षम व्यक्ति या कोई संगठन ग्राभिन्नेत है यदि ऐसे व्यक्ति या संगठन के पास इन नियमों के परिणिष्ट 2 में दी गई श्रहंताएं, श्रन्भव श्रांर अन्य अपेक्षाएं श्रीर वह नियम 11क में अधिकथिम प्रक्रिया के प्रनुसार मान्यताप्राप्त हैं;

परन्तु मुख्य नियंत्रक किसी सक्षम व्यक्ति की बाबन ग्रहेताग्रों की ग्रपंक्षाग्रों को णिथिल कर मकेगा यदि वह व्यक्ति अपवादिक रूप से अनुभवी और ज्ञानी है किन्तु बह उसके प्रधीन सुविधान्नों की बावन अपेक्षान्नों को णिथिल नहीं कर सकता;

- (ii) खंड (ङ) केस्थान पर निम्नलिखिन खंड रखा जाएगा ग्रर्थात्:--
- "(क) "संपीड़ित गैस" से कोई स्थायी गैस, द्रवणीय गैस या द्रव में दाघ या गैम मिश्रण में घुली गैस जो एक बंद दाब पान्न में श्रीधकतम कार्यकरण तापमान पर हो वाय्मंडल (भेज) श्रभिप्रेत है सौर इसके उत्पन्न भरती है, अन्तर्गत हाईड्रोजन फ्लोराइड है। रोधन रहित या प्रशीनन रहित पान्नों के मामले में ग्रधिकतम कार्यकरण तापमान 55° सें. समझा जाएगा।
- (iii) खंड (त) के स्थान पर निम्नसिखिल खंड रखा जाएगा, श्रशीत:--
- ''(त) ''निरीक्षण'' के बहु सुनिश्चित करने के लिए कि दाब पात श्राई एस: 2825 या मुख्य नियंत्रक ढ़ारा अनुमोदित किसी भ्रन्य कोड केश्रनुसार डिजाइन किए गए है और उन्हीं के श्रनुसार उनका सनिर्माण किया गया है, इन नियमों में श्रनुबद्ध संविरचन के दौरान प्रक्रमवार निरीक्षण करने के पत्रचात् दाब पात्र धौर उनकी फिटिस्ज का प्रमाणन करने के लिए मुख्य नियंत्रक द्वारा मान्यताप्राप्त कोई वृत्तिक संगठन ग्रभिप्रेत है यदि संगठन के संघटक सदस्यों के पास इन नियमों के परिशिष्ट-2 में दी गई अहंताएं और अनुभव तथा बन्य अपेक्षाएं है और उन्हें 11क में ग्रधिकथित प्रक्रिया के श्रन्सार मान्यता प्रदान की गई है:
- (iv) खंड (न) के स्थान पर निम्नलिखित खंड रखा जाएगा, ग्रर्थात् :---
- ''(न) ''दाबपाब'' से किसी भी स्राकार का,किसी संपीडित गैस के भण्डारण ग्रीर परिवहन के लिए श्राणियन कोई ऐसा संवृत्त धान् का श्राधान ग्रभिप्रेत है जो श्रान्तरिक दाब के श्रधीन होता है ग्रीर जिसकी जलधारिता एक हजार लिटर से प्रधिक है ग्रीर इसके प्रन्तर्गत

र्गंबंधित पाइपिंग स्थीर फिहिन से संगोजन की प्रथम जिन्दू तक उपके अन्तरपोजी पर्नेश्रीर संघटक भी है, परन्त् इसमें वे श्राधान जिनके ग्रन्तर्गत भाषाया ग्रन्य बाध्य का उत्पादन होता है था। उसके उत्पादन के लिए स्नामयित है श्रथवा जल या अन्य द्रव अग्नि के प्रयोग या दहन के उत्पादों द्वारा श्रथवा विश्वत् साधनों द्वारा, तप्त किये जाते हैं श्रथवा तप्त किये जाने के लिए भ्राणियत है, ताप-विनिमायक, वाष्पित, वाय-ग्राही प्रवापी संपाचित्र, प्रवापी निर्जनक, आंटोक्लेय, रिएक्टर, कैलौरीफायर और दाब पाइपिंग, संघटक जैसे पृथक्कारी या चालनित्र ग्रीर पात्र जिनमे दाव ग्रक्षिय गैस के ब्लेंकेट के ग्रधीन द्रव हो, सम्मिलित नहीं है।

- उक्त नियमों के नियम 3 के स्थान पर निम्नलिखिन रखा जाएगा, ग्रर्थात् :--
 - "3. सामान्य छूट:--इन नियमो की कोई भी बात संयंत्र में संबंधित ऐसे पालां को लाग नहीं होगी जो किसी प्रसंस्करण संयंत्र के भाग हैं । इस नियम के प्रयोजन के लिए, ऐसे पाल, जो प्रसंस्करण का भाग हैं, से ऐसे पात प्रभिप्रेत हैं जिनमें प्रसंस्करण श्रपेक्षा के रूप में, प्रसंस्करण संयंत्र में प्राप्त धीर उपयोग में लाई गई दाब गैस के हैं परन्तु तब जब ऐसे पानों की जल क्षमता जिजाइन की गई प्रवाह दर पर 16 घंटे से प्रनिधिक अविधि के लिए उपयोगी विन्द (बिन्दुश्रों) के पोषण के लिए ग्रावण्यक गैम सक्षमता के समृतल्य है।"
- 4. उक्त नियमों के नियम 4 में, उपनियम (2) की स्थान पर निम्नलिखिन उपनियम रखा जायेगा, श्रयन् :---
 - "(2) उपनियम (1) के अधीन अनुमोदित प्रकार या मानव या कोंड के ब्रनुसार पालो का विनिर्माण करने बाले किया कारखाने का ग्रन्मोदन मुख्य नियंत्रक द्वारा किया जायेगा । ऐसा अनुमोदन प्राप्त करने का इच्छक व्यक्ति मुख्य नियंत्रक को निम्नलिखिन प्रस्तुत करेगा--
 - (क) इन नियमों के परिणिष्ट-। मे विनिदिय्ट विणिष्टियां '---
 - (ख्रा) पांचर्सी रूपये की जांच फीस।"
- 5. उक्त नियमों के नियम । के स्थान पर, निम्तलिखिय नियम रखा जायेगा, ग्रशांत्:---

''फीस के संदाय की प्रक्रियाः——इन नियमों के श्रधीन देय सभी फीस गुख्य नियंत्रक विस्फोटक विभाग, नागपर के नाम पर निखे गए किसी भी राष्ट्रीयकुन बैंक के काम मांगदेय ड्राफ्ट द्वारा संदत्त की जानी चाहिये और जहां देय रकम 100%. (एक सौ रुपये)

से अधिक नहीं है, वहां संदाय नकद, मनी आईर, पोस्टल श्रार्डर या स्थानीय बैंक पर लिखे गये र्चक हारा किया जासकता है।

6. उक्त नियमों के नियम 11 के पश्चात् निम्निलिखित नियम अन्तः स्थापित किया जायेगा, अर्थात् .---

11क. सक्षम व्यक्ति श्रीर निरीक्षक को मान्यता प्रदान किया जाना और उसके प्रतिसंहरण की प्रक्रिया:---

- (1) सक्षम व्यक्ति या निरीक्षक के रूप में मान्यताप्राप्त करने का इच्छुक व्यक्ति मुख्य नियंत्रक
 को परिकिटट-3 में विहित प्ररूप में आवंदन
 देगा। प्रत्येक श्रावेदन के साथ सक्षम व्यक्ति
 के लिये आवंदन हेतु 500 रु. श्रार निरीक्षक
 के लिये आवंदन हेतु 1000 रु. जांच फीस
 साथ लगी होगी। मुख्य नियंत्रक ऐसे श्रावेदन
 का रिजस्ट्रीकरण करेगा और श्रावेदन प्राप्त
 होने की तारीक्ष से साठ दिन की अवधि के
 भीतर क्षमना और वृत्ति श्राचार के संबंध में
 अपना समाधान हो जाने पर या तो श्रावेदक
 को, यथास्थिति, सक्षम व्यक्ति या निरीक्षक के
 रूप में मान्यता दे देगा या कारण विनिद्दिटट
 करते हुए आवंदन को न संजूर कर देगा।
- (2) मुख्य नियंत्रक निरीक्षक को स्नवाई का श्रवसर देने के पश्चात् मायना को प्रतिसंहरण कर सकेगा---
 - (क) यदि उसके विश्वास करने का यह कारण है कि निरीक्षंक ने मान्यता पत्न में श्रनुबंधित किसी णर्त का उल्लंघन किया है या कोई परीक्षण, परीक्षा श्रीर निरीक्षण किया है या किसी ऐसे ढंग से कार्यवाही की है जो इन नियमों के श्राणय या प्रयोजन से श्रसंगत है;
 - (ख) किसी ग्रन्य कारण में जिसे लेखबद्ध किया जायेगा।"

 उत्रत नियमों के नियम 18 के स्थान पर निस्त-लिखित खंड एखा जायेगा, श्रर्थात :---

"(Xiii) मोचन वाल्वों के ठीक प्रचालन के लिये किसी सक्षम व्यक्ति द्वारा वर्ष में कम से कम एक बार परीक्षण किया जायेगा श्रौर ऐसे परीक्षण का अभिलेख रखा जायेगा । परीक्षण प्रमाणपत्न विहित प्रकृष मे जारी किया जायेगा"।

8. उक्त नियमों के नियम 19 में, उपनियम (1) (क) के स्थान पर निम्नलिखित जोड़ा जायेगा, धर्यात् :—— "ऐसे पात्रों की दशा में जिन्हें इस प्रकार डिजाइन किया गया है, उन का मिन्नर्माण किया गया है या उन्हें कोई समर्थन दिया गया है कि उन्हें द्वेव चालित परीक्षण के लिये जल या द्वेव से मुरक्षित रूप से नहीं भरा जा मकता या वे ऐसे हैं जिनका उपयोग

इन सेवाफ्रों में किया जाता है जहां जल की धाराम्रों को सहन नहीं किया जा सकता, मुख्य नियंत्रक स्रक्षा पृविविधानियों की पर्याप्तता के संबंध में अपना समाधान हो जाने के पण्चात् पाव सिवरचन सहिता में भ्रिप्ति-कथित प्रक्रिया के प्रनुसार बच्चातित परीक्षक के स्थान पर अविनाणी परीक्षणों के साथ साथ बात प्रचालित परीक्षण की अनुझा देसकेगा।"

- (ख) उपनियम (2) में, ''उपनियम (1) के अधीन यथापेक्षित परीक्षण करने वाला सक्षम व्यक्ति प्रमाणपत्न जारी करेगा' णब्दों, कोग्ठकों और अके के स्थान पर ''उपनियम (1) के अधीन यथापेक्षित परीक्षण करने वाला सक्षम व्यक्ति विहित प्ररूप में प्रमाणपत्न जारी करेगा" णब्द, कोग्ठक और श्रंक रखा जायेगा।
- 9. उक्त नियमों के नियम 33 में "प्रोफार्मा" शब्द में पूर्व ग्राने वाले "निर्माण" शब्द के स्थान पर "मुख्य नियंत्रक द्वारा विहित" शब्द रखे जायेंगे। नियम 33 के नीने दिये गये प्रोफार्मा का लोग किया जायेगा।
- 10. उक्त नियमों के नियम 43 में ''इस आशय का सुरक्षा प्रमाणपत्र'' शब्दों से पूर्व ''विहित प्रोफार्मा में'' शब्द रखे जायेंगे।
 - 11. उक्त नियमों के नियम 44 में,---
 - (क) उपनियम (1) में, "यान का यह सुनिष्चित करने के लिये कि यह हर समय रोड पर चलने लायक है, और यह भरने, परिवहन और इसके भार को गुरक्षित रूप में विसर्जन करने के लिये ठीक दशा में है, निरीक्षण किया जायेगा" शब्दों के स्थान पर "यान की यह सुनिष्चित करने के लिये कि यह हर समय सड़क पर चलने लायक है, और यह भरने, परिवहन प्रांत इसके भार का सुरक्षित रूप में विसर्जन करने के लिये ठीक दशा में हैं, जोच करेगा।" शब्द रखे जायेगे।"
 - (ख) उपनियम (2) के स्थान पर निम्नलिखित उपनियम रखा जायेगा, श्रर्थात् :---
 - "(2) सक्षम व्यक्ति हर छह मास में यह जांच करने के लिये कि यान का अनुरक्षण उपनियम (1) के अधीन किया जा रहा है यान की जांच करेगा और विहित प्रोफार्मा में प्रमाणपत्न जारी करेगा।"
- 12. उक्त नियमों के श्रध्याय 7 में शीर्षक के स्थान पर निम्नलिखित रखा जायेगा, श्रथोत,:---

"दुर्घटना श्रौर क्षति"।

13. उक्त नियमों के परिणिष्ट को परिणिष्ट-1 के एप में संख्योक्ति किया जायेंगा और इस प्रकार संख्यांकित परिणिष्ट-1 के पण्चात् निस्तिविधित परिणिटः जोड़े जायेंगे, श्रर्थात् ---

परिशिष्ट-- 2

[नियम 2(घ) देखिए]

निरीक्षक और सक्षम व्यक्ति के लिये ग्रहीताएं ग्रीर अनुभव

ानराक्षक श्रारंसक्षम व्याक्त कालय ग्रह्ताए ग्राप् अनुभव						
कम सं.	वह नियम जिसके ग्रधीन सक्षमता को मान्यता दी जाती है	अर्हता श्रौर ग्रन्य श्रपेक्षाण्	इस प्रयोजन के लिये श्रनुभव	न्य्नतम सुवि धा ए		
1	2	3	4	5		
ı. f	नेयम 12(3) निरीक्षक	(1) किसी मान्यताप्राप्त विण्व- विद्यालय से रसायनिक या यांत्रिक या मौसम विज्ञान या समुद्री इंजीनियरी में डिग्री या समतुल्य वृत्तिक म्रहंता।	(1) दाव पात्रों श्रौर दाक्षाधीन संचालित उपस्करों के रूपांकन, संविरचन श्रौर संविरचन के दौरान प्रक्रमवार निरीक्षण का कम से कम 10 वर्ष का श्रनुभव।	मुख्य नियंत्रक विस्फोटक द्वारा समय समय पर विनिर्दिष्ट की जायेगी।		
		(2) परीक्षण श्रौर परीक्षा करने के लिये गारीरिक रूप से योग्य श्रौर मानसिक रूप से स्वस्थ।	(2) जिसे—— (क) दाबपात्रों और उनकी फिटिंग से संबंधित सुसंगत संविरचन कोड और परीक्षण प्रक्रिया की जानकारी हो। (ख) श्रज्वलित दाब पात्रों के रूपांकन और सुरक्षा से संबंधित कानूनी श्रपेक्षाओं की जानकारी हो।			
2. नियम 18,19,33,43 श्रीर 44		 रसायनिक या यांत्रिक इंजीनियरी या समृद्री इंजीनि- नियरी में डिग्री या समतुत्य वृत्तिक अहंताए परीक्षण और परीक्षा करने के लिये शारीरिक रूप से योग्य श्रीर मानसिक रूप से स्वस्थ। 	 (1) निम्नलिखित में कम से कम 10 वर्ष का अनुभव (क) रूपांकन और संविरचन, सन्निर्माण सचालन अनुरक्षण और (ख) दाब पान्नों था दाबाधीन संचालित उपस्कर का परीक्षण, परीक्षा और निरीक्षण। 	द्रय चालित परीक्षण, स्रविनाशी परीक्षण, गेज, उपस्कर/मापने हेतु जुगत और कोई श्रन्य गेज या उपस्कर जो दावपालों वे उपयोग में सुरक्षा श्रवधारित करें।		
			(2) जिसे—— (क) दाव पात्नो से सम्बंधित सुसगत पद्धति कोड और परीक्षण प्रक्रिया की जानकारी हो;			
			(ख) घज्यलित वाब पात्र ग्रौर परिवहन यानों से संबंधित कानूनी ग्रपेक्षाग्रों की जानकारी हो;			

समर्थ हो।

(ग) दाब पातों को लागू श्रविनाशी परीक्षण तकनीक की जानकारी हो, श्रीर (ध) दाब पात्र की सुरक्षा से संबंधित कमियों को पहचानने भीर इस में किसी विश्वसनीय निष्कर्ष पर पहुंचने में

परिशिष्ट---3

[नियम 2(त) ग्रीर 11क देखिए]

क. स्थिर ग्रीर गतिशील दाव पान्न (ग्रज्विलित) नियम, 1981 के ग्रधीन सक्षम व्यक्ति के रूप में मान्यता के लिए लिए श्रावेदन

(नियम 18,19,33,43,श्रौर 44,(2) देखिए)

- 1. संगठन का नाम श्रीर पूरां पता:
- 2. संगठन की हैिमयत (विनिर्विष्ट करें कि व्यष्टि है या सरकारी, स्वशासी, सहकारी निगमित या प्राइवेट निकाय, जो कंपनी श्रिधिनियम के श्रधीन रजिस्ट्रीकृत हों)।
 - 3. वह प्रयोजन जिसके लिये सक्षमता चाहिए (नियम विनिर्दिष्ट करें)।
 - 4. क्या संगठन/ब्यप्टि को किसी श्रन्य कानून के श्रधीन सक्षम व्यक्ति घोषित किया गया है, यदि ऐसा है तो ब्यौरा दें।
 - 5. (1) संगठन व्यक्ति की स्थापना का स्वरूप।
 - (2) नाम श्रौर श्रह्ता (संगठन की दशा में संघटक सदस्यों का)
 - (3) परिवहन यानों की दंशा में संविरचन, संस्थापन ध्रनुरक्षण, दाब पान्नों और ग्रनेक फिटिंग की परीक्षा श्रौर परीक्षण तथा अन्य संबंधित क्षेत्रों में अनुभव (संगठन की दशा में संघटक सदस्यों के) कृपया ध्रनुसूची-2 के स्तंभ 4 में बर्णित अपेक्षा के प्रतिनिर्देश करें। (अनुभव का दस्तावेजी सब्त संलग्न करें)।
 - निरीक्षण/परीक्षण करने के लिये संगठन पास उपलब्ध उपस्कर गेज ग्रादि की विशिष्टियां।
 - 7. विभिन्न नियमों के प्रधीन प्रमाणन के लिये प्रक्रमवार निरीक्षण/परीक्षण करने के लिये ग्रनुसरण की जाने वाली प्रक्रियाओं का व्योरा ।
 - कोई अन्य जानकारी।
 - 9. घोषण

मैं—————————की श्रोर में प्रमाणित करता हूं कि ऊपर दिया गया क्यौरा मेरी पूर्ण जामकारी के श्रनुसार सही है । मैं वचनबंध करता हूं कि—

- (1) सुविधाएं ठीक कामकाज की हालत में रखूंगा और उन्हें कालिक रूप से ग्रगांकित करवाङंगा;
- (2) सक्षमता प्रमाणपत्न में श्रनुबंधित सभी शता श्रीर समय समय पर मुख्य नियंत्रक द्वारा जारी किये गये श्रनुदेशों को पूरा करूंगा श्रीर उनका पालन करूंगा।

	संगठन के प्रधान के हस् ताक्षर
स्थान :	नाम श्रीर पदनाम
तारीख:	संस्था की मुद्रा.

खः स्थिर श्रीर गतिशील दाब पान्न (श्रज्वलित) नियम, 1981 की परिधि के श्रधीन श्राने वाले निरीक्षक के रूप में मान्यता के लिए श्राधदन।

[नियम 12(2) देखिए]

- संगठन का नाम भीर पूरा पताः
- 2. संगठन की हैसियत

(यिनिर्विष्ट करें कि व्यप्टि है या सरकारी, स्वणामी, सहकारी, निगमित या प्राइवेट निकास, जो कंपनी अधिनियम के श्रधीननियम के श्रधीन रजिस्ट्रीकृक्ष हों।

- 3. क्या संगठन को इस कानून या किसी ग्रन्य कानून के ग्रधीन सक्षम व्यक्ति घोषित किया गया है। यदि ऐसा है तो उसका ब्यीरा दें।
- 4. (i) संगठन का स्वरूप
- (ii) उसके संघटक सदस्यों के नाम श्रीर श्रहता।
- (iii) संगठन श्रौर संघटक सदस्यों का दाब पान्नों के संविरचन के दौरान प्रक्रमबार निरीक्षण श्रौर श्रनेक फिटिंग तथा श्रन्य क्षेत्रों में श्रनुभव। कृपया श्रनुसूची-2 के स्तंभ 4 में विणित श्रपेक्षाश्रों के श्रतिनिर्देश करे। (कृपया श्रनुभव का दस्तावेजी सब्त संलग्न करें)।
- 5. निरीक्षण परीक्षण करने के लिये संगठन के पास उपलब्ध उपस्कर गेज आदि की विशिष्टियां।
- 6. प्रमाणन के लिये प्रक्रमवार निरीक्षण/परीक्षण करने के लिये ग्रनुसरण की जाने वाली प्रक्रिया का व्यौरा।
- 7. अनेक पक्षकारों को जारी किये जाने वाले परीक्षण श्रौर निरीक्षण प्रमाणपत्न का प्रांफार्मा।
- 8. कोई स्रन्य जानकारी।
- 9. घोषणाः

मैं————————————————————————की श्रोर से प्रमाणित करता हूं कि ऊपर दिया गया ब्यौरा मेरी पूर्ण जानकारी के अनुसार सही है। मैं वचनबंध करता हूं कि सक्षमता प्रमाणपत्न में धनुबंधित सभी शर्ती धौर समय समय पर मुख्य नियंत्रक द्वारा जारी किये गये अनुदेशों को पूरा करूंगा श्रीर उनका पालन करूंगा।

ग. किसी व्यक्ति को उस संगठन के स्वामित्व में श्रीर उसके द्वारा संचालित भण्डारण प्रतिष्ठानी या परिवहन यानी के प्रमाणन के लिए, जिसमें वे नियोजित हैं, सक्षमता प्रमाणपत्न देने के लिये श्रावेदन।

- 1. नाम
- 2. जन्म तिथि
- 3. संगठन का नाम
- 4. पवनाम
- 5. शैक्षिक श्रहंता (शिक्षा प्रमाणपत्नों की प्रतियां संलग्न करें)।
- वृत्तिक अनुभव की विशिष्टियां (क्रमानुसार):

-संगठन का नाम सेवा की श्रवधि पदनाम दायित्य क्षेत्र

- 7. बृत्तिक निकायों की सदस्यता, यदि कोई हो।
- उपलब्ध स्विधाम्रों (परीक्षा, परीक्षण म्रादि) का ब्यौरा।
- 9. वह प्रयोजन जिसके लिये सक्षमता प्रमाणपत्र चाहिए (नियम बिनिर्दिष्ट करे)।
- 10. भया प्राप्ति रक्त को किपी कातून के अवीन मक्षम व्यक्ति पोषित किया गया है (यदि ऐसा है तो उसका व्यौरा दें)।
- 11. कोई अन्य मुसंगत जानकारी।

	or. 2			
12.	आचे दक	उपरा	धावणा	1

- (क) में उपर्यक्त संगठन छोड़ने की दशा में मुख्य नियंद्रक को त्रन्त सुचना दुगा।
- (ख) सक्षमता प्रमाणपत्र में अनुविधित सभी शर्तों और समय समय पर मृख्य नियलक द्वारा जारी किये गये अन्देशों को पूरा करूंगा और उनका पालन करूंगा।

स्थान :

श्रावेदक के हस्ताक्षर

तारीख:

स्थान :

तारीखः

संगठन द्वारा घोषणा

में——————जिनका व्यौरा अपर दिया गया है, हमारे नियोजन में है भ्रौर हम उसे नियमों के श्रधीन सक्षम व्यक्ति के रूप में घोषित करने के प्रयोजन के लिये संगठन की ओर से नामनिदिष्ट करते हैं। मैं यह भी वचनवंध करता हूं कि मैं,—

- (क) सक्षम व्यक्ति के हमारे नियोजन में न रहने की दशा में मुख्य नियंत्रक को सूचित करूंगा :
- (ख) उत्पर वर्णित सभी उपलब्ध सुविधाओं की व्यवस्था करूंगा श्रीर ठीक हालत में रखूंगा ;
- (ग) यदि सुविधाधीं में कोई परिवर्तन होगा तो उसकी मुख्य नियंत्रक को सूचना द्गा।

हस्साक्षर

नाम भीर पदनाम----टेलीकोन नं -----टेलीकस नं -----

शासकीय मुद्रा

''उदाहरण : एस पी जी भण्डारण पात्र या प्रतिष्ठान के प्रमाणन के लिये किसी परिष्करणी का कोई ग्रधिकारी"।

[फा.सं. 2(5)/89-डी पी श्रार/ई जी जी एस] श्रार.के. सिन्हा, संयुक्त संचित्र

टिप्पण : নৃত্য नियम श्रिधसूचना सं. 45(अ) तारीख 4-2-1982, भारत के राजपत्त, श्रसाधारण, भाग-2, खंड 3(i) द्वारा प्रकाशित किए गए थे।

MINISTRY OF INDUSTRY

(Department of Industrial Development)

NOTIFICATION

New Delhi, the 22nd February, 1991

G.S.R. 86(E).—The following draft of certain rules to amend the Static and Mobile Pressure Vessels (Unfired) Rules, 1981 (hereinafter referred to us the said rules), which the Central Government proposes to make in exercise of the powers conferred by sections 5 and 7 of the Explosives Act, 1884 (4 of 1884), is hereby published as required by subsection (1) of section 18 of the said Act, for information of all persons likely to be affected thereby and notice is hereby given that the said draft shall be taken into consideration forty-five days after the Gazette containing the notification is made available to the public.

Any objection or suggestion received from any person with respect to the said draft before the date so specified will be taken into consideration by the Central Government.

1. Those rules may be called the Static and Mobile Pressure Vessels (Unfired) Amendment Rules, 1990

- 2. In rule 2 of the said rules-
 - (i) for clause (d), the following clause shall be substituted, namely:—
 - "(d) "Competent Person" means a person or an organisation recognised by the Chief Controller, for such gases and for such period as may be specified as competent for carrying out tests, examination, inspections and certification for installations and transport vehicles as stipulated in these rules, if such a person or organisation possesses the qualifications, experience and other requirements as set out in Appendix-II to these rules and is recognised as per procedure laid down in rule 11A:
 - Provided that the Chief Controller may relax the requirements of qualifications in respect of a competent person if such a person is exception? experienced and knowledgeable, but not the requirements in respect of the facilities at its command:
- (ii) for clause (c) the following clause shall be substituted, namely:—
 - (c) "Compressed gas" means any nermanent gas, liquiflable gas or gas dissolved in liquid, under pressure or gas mixture, which in a closed pressure vessel

- chercises a pressure exceeding two atmosphere (gauge) at the maximum working temperature and includes Hydrogen Fluoride. In case of vessels without insulation or refrigeration, the maximum working temperature shall be considered as 55°C;
- (iii) for clause (p), the following clause shall be substituted, namely:—
 - '(p) "Inspector" means a professional organisation recognised by the Chief Controller for certifying pressure vessels and their fittings after carrying out stagewise inspection during fabrication, as stipulated in the rules so as to ensure that the pressure vessels are designed and constructed in accordance with 18: 2825 or any other Code approved by the Chief Controller, if the constitutent members of the organisation possesses the qualifications and experience and other requirements as set out in Appendix-II to these rules and the recognition is granted as per procedure laid in rule 11A:
- (iv) for clause (t) the following clause shall be substituted. namely:—
 - (t) "Pressure vessel" means any closed metal container of whatever shape, intended for the storage and transport of any compressed gas which is subjected to internal pressure and whose water capacity exceeds one thousand litres and includes inter connecting parts and components thereof upto the first point of connection to the connected plping and fittings but does not include containers wherein steam or other vapour is, or is intended to be generated, or water or other liquid is, or is intended to be, heated by the application of fire, or the products of combustion or by electrical means, heat exchangers, evaporators, air receivers, steam-type digestors, steam-type sterilizers, autoclaves, reactors, calorifiers pressure piping components such as separators or strainers and vessels containing a liquid under a blanket of compressed inert gas."
- 3. For rule 3 of the said rules the following rule shall be substituted, namely:—
 - "3. General exemptions:—Nothing in these rules shall apply to vessels which form part of a processing plant. For the purpose of this rule, vessels forming part of a processing plant shall mean vessels which contain, as a process requirement, a compressed gas received from and consumed in the same processing plant, provided that the water capacity of such vessels is equivalent to the gas capacity necessary for feeding the consuming point(s) for a period not exceeding 16 hours at the designed flow rate."
- 4. In rule 4, of the said rules, for sub-rule (2), the following sub-rule shall be substituted, namely:—
 - "(2) Any factory for the manufacture of vessels in accordance with a type or standard or code approved under sub-rule (1) shall be approved by the Chief Controller. Any person seeking such approval shall submit to the Chief Controller.
 - (a) The particulars specified in Appendix-I to these rules.
 - (b) a scrutiny fee of rupees five hundred."
- 5 For rule 11, of the said rules, the following rules shall be substituted, namely:—
 - "Procedure for payment fees—All fees payable under these rules shall be paid through crossed demand draft on any nationalised bank in favour of the Chief Controller of Exprosives, Nagpur and in cases where the amount rayable does not exceed Rs. 100, the payment may be made by cash, money order, postal order or cheque drawn on a local bank."
- 6. After rule 11 of the said rules, the following rule shall be inserted, namely:—

- "11A. Procedure for grant and revocation of recognition to competent person and Inspector:--
 - (i) Anybody intending to be recognised as Competent Person or Inspector shall submit to the Chief Controller, an application in the form prescribed in Appendix-III. Every application shall be accompanied by a scrutiny fees of Rs. 500 for application for competent person and Rs. 1000 for application for Inspector. The Chief Controller shall register such application and within a period of sixty days of the date of receipt of the application, either after having satisfied himself with regard to competence and professional ethics recognise the applicant as a competent person or an Inspector, as the case may be, or reject the application specifying the reasons therefor.
- (ii) The Chief Controller may, after giving an opportunity to the Inspector of being heard, revoke the recognition—
 - (a) if he has reason to believe that an Inspector has violated any condition stipulated in the letter of recognition or has carried out a test, examination and inspection or has acted in a manner inconsistent with the intent or the purpose of these rules; or
 - (b) for any other reason to be recorded in writing."
- 7. In sub-rule (2), said rules, for clause (xiii), the following clause shall be substituted, namely:—
 - "(xiii) relief valves shall be tested by a competent person for correct operation not less than once in a year and a record of such test shall be maintained. The test certificate shall be issued in the prescribed proforma."
 - 8. In rule 19 of the said rules after sub-rule (1).--
 - (a) the following shall be added, namely:-
 - "In case of vessels which are so designed, constructed or supported that they cannot be safely filled with water or liquids for hydraulic testing, or which are used in services wherever traces of water cannot be tolerated. Chief Controller may permit pneumatic testing alongwith non-destructive tests instead of hydraulic testing, as per procedure faid down in vessel fabrication Code, after satisfying himself about the adequacy of the safety precautions undertaken;"
 - (b) in sub-rule (2) at the end, the words "in prescribed proforma" shall be added.
- 9. In rule 33, of the said rules the words "given below" appearing after the word "proforma" shall be substituted by the words "prescribed by the Chief Controller". The proforma appearing below rule 33 shall be omitted.
- 10. In rule 43 of the said rules the words "in prescribed proforms" shall be added after the words "A Certificate of safety".
- 11. In rule 44 of the said rules (a) in sub-rule (1), the words "A check shall be made on the vehicle to" shall be st.bstituted by the words "The licensee for any vehicle shall";
 - (b) for sub-rule (2) the following sub-rule shall be substituted, namely:—
 - "(2) An examination of the vehicle to check that the vehicle is maintained as per sub-rule (1) shall be carried out every six months by a comeptent nerson and a certificate in the prescribed proforma shall be issued by him."
- 12. In Chapter VII of the said rules, for the heading the following heading shall be substituted, namely:—

"ACCIDENTS AND INJURIES."

13 The Annendix to the said rules shall be numbered as Appendix-I and after Appendix-I as so numbered, the following Appendices shall be added, namely:—

APPENDIX II

[(See rule 2 (d)]

QUALIFICATION AND EXPERIENCE OF INSPECTOR AND COMPETENT PERSON

	Rule under which Competency is recognised	Qualification and other requirements	Experience for the purposes	Minimum facilities
1	2	3	4	5

- 1. Rule 12(3) 'Inspector'
- Mechanical or Metallurgical or Marine Engineering from a recognised University or equivalent professional qualification.
- (2) Physically fit and mentally sound for carrying out tests and examination.
- (1) Degree in chemical or (1) A minimum experience of 10 years in design. fabrication and stagewise inspection during fabrication of pressure vessels and equipments operating under pressure.
 - (2) He shall be-
 - (a) conversant with the relevant codes of fabrication and test procedures relating to pressure vessels and their fitting.
 - (b) conversant with the statutory requirements concerning design and safety of unfired pressure vessels.

That may be specified by Chief Controller of Explosive from time to time.

- 2. Rules 18, 19, 33 43 and 44
 - Mechanical Engineering or Marine Engg. or equivalent professional qualifications
 - (2) Physically fit and mentally sound for carrying out tests and examinations.
 - (1) Degree in Chemical or (1) A minimum experience of 10 years in-
 - (a) design and fabrication, erection operation, maintenance and
 - (b) testing, examination and inspection of pressure vessels or equipment operating under pressure.
 - (2) He shall be—
 - (a) conversent with the relevant codes of practice and test procedures relating to pressure vessels;
 - (b) Conversant with statutory requirements concerning safety of unfired pressure vessels installations and transport vehicles.

Facilities for carrying out hydraulic test. non-destructive tests. guages, ? equipments/ gadgets for measurement and any other gauges or equipment to determine the safety in the use of pressure vessles.

4

- (c) conversant with nondestructive testing techniques as are applicable to pressure vessels.
- (d) able to identify defects and arrive at a reliable conclusion with regard to the safety of pressure vessels.

Note:—In case of an organisation, the constituent members shall fulfil the requirement under column 3 individually and those under column (4) collectively.

APPENDIX III

[See rules 2(P) and 11A]

A. APPLICATION FOR RECOGNITION AS COMPETENT PERSON UNDER THE STATIC AND MOBILE PRESSURE VESSELS (UNFIRED) RULES, 1981.

[See rules 18, 19, 33, 43 & 44(2)]

- 1. Name & full address of the organisation:
- 2. Organisation status
 (Specify whether individual or Govt. Autonomous, Co-operative,
 Corporate of Private Body registered under Company's Act).
- Purpose for which competency is sought (specify the rules).
- 4. Whether the organisation/person has been declared as a competent person under any other statute. If so, give details,
- 5. (i) Set up of the organisation/person.
 - (ii) Name of qualification (of constituent members in case of organisation).
 - (iii) Experience (of constituent members in case of organisation) with regard to fabrication, installation, maintenance in case of transport vehicles and examination and testing of pressure vessels and various fittings and in other related fields. Please refer to requirements mentioned in column 4 of Schedule II. (Please attach documentary evidence of the experience).
- 6. Particulars of equipment, Gauges etc. available with the Organisation for carrying out the Inspection/Testing.
- 7. Details of the procedures followed in carrying out stage by stage inspection/test for certification under different rules.
- 8. Any other information.

9. Declaration	
Ihereby, on behalf of the details furnished above are correct to the best of my know	
(i) maintain the facilities in good working order and cal	librated periodically;
(ii) to fulfil and abide by all the conditions stipulated in instructions issued by the Chief Controller from time to	
Place:	Signature of the Head of the Organisation.
Date:	
Name & Designation Seal of the Institution.	
B. APPLICATION FOR RECOGNITION AS AN INSPECTOR PURVIEW OF STATIC AND MOBILE PRESSURE VESSEI	
[See rule 12(2)]	
1. Name & full address of the organisation:	
2. Organisation status	
(Specify whether Govt. Autonomous, Co-operative, Corporate Private body registered under Company's Act.)	or
3. Whether the organisation has been declared as a competent p under this or any other statute, if so, give details.	oerson
4. (i) Set up of the organisation.	
(ii) Name & qualification of its constituent members.	
(iii) Experience of the Organisation and constituent members regard to stagewise inspection during fabrication of press vessels and various fittings and in other related fields. Ple to the requirement mentioned in column (4) in Schedule (Please attach documentary evidence of the experience).	ure 988c refer
5. Particulars of equipment, Gauges etc. available with the organ for carrying out the Inspection/Testing.	nisation
6. Details of the procedure followed in carrying out stage-by-stag inspection/tests for certification.	ge
7. Proforma of test and Inspection certificates to be issued to vaparties.	rious
8. Any other information.	
9. Declaration:	
I	ge. I undertake to fulfil and abide
Place:	Signature of the Head
Date:	of the Organisation.
Name & Designation Seal of the Institution.	

С.	APPLICATION	FOR	GRANT	OF C	CERTIFIC	ATE	OF ·	COMPET	ENCY	TO A	PERSON	FOR
	CERTIFYIN G	STORA	AGE IN	STALI	LATIONS	OR	TRA	NSPORT	VEH	CLES	OWNED	AND
	OPERATED B'	Y THE	ORGA	VISAT	V NI NOI	WHIC	CH F	HE IS EM	(PLOY	ED.*		

- Name 1.
- 2. Date of birth
- Name of the organisation
- Designation
- Educational qualification (Copies of testimonials to be attached).

6.	Particulars of 1	professional experienc	e (in chronological orde	r):				
Name of the organisation Period service		Period of service	Designation	Area of responsibilities				
7.	Membership, if	any, of professional b	odies.					
8.	Details of facilit	ties (examination, testi	ing etc.) at his disposal.					
9.	Purpose for whi	ch competency certific	ate is sought (specify the	rules).				
10.	Whether the applicant has been declared as a competent person under any Statute (If so, details).							
11.	Any other releva	ant information.						
12.	Declaration by	the applicant.						
	I	, hereby declare t	hat the information furnis	hed above is true. I undertake-				
((a) that in the ev Controller;	ent of my leaving the	e aforesaid organisation, l	will promptly inform the Chief				
(1			onditions stipulated in the Controller from time to tir	e certificate of competency and ne.				
			Signatu	re of the applicant				
Place	e :							
Date	e :							
		DECLARATION	BY THE ORGANIZA	TION				
nisa	se particulars are	furnished above, is in	that Shri	ninate him on behalf of the orga- der the rules. I also undertake				
	(a) notify the (Chief Controller in ca	se the competent person	leaves our employment;				
1	(b) provide and	maintain in good or	der all facilities at his disp	oosal as mentioned above; and				
	(c) notify the (Chief Controller any o	change in the facilities.					
Plac	e:			Signature				
Date	e :		Name and Designa	tion				
	•							
			Office Scal.					

*Example : An officer in a refinery for certifying LPG storage vessels or the installation".

[F. No. 2(5)/89-DPR/EGGS] R. K. SINHA, Jt. Secy.

FOOT NOTE: - Principal rules were published vide Notification No. 45 (E), dated 4-2-81, in the Gazette of India Extraordinary Part-II, Section-3, Sub-section (i).